

Appendix 3 – Examples of Potentially High Risk Activities

Activities	Control Measures
<p>Operation of specified dangerous machines without sufficient training (list available from College Health and Safety Office).</p> <p>Moving heavy machinery</p> <p>Live culture microbiology involving Pathogens above Class 2.</p> <p>Using lasers of Class 3b and above.</p> <p>Chemicals with Risk Phrases R1-6 (explosive), 12-17 (flammable), 19 (explosive Peroxide) 23, 26-28, 32 (toxic), 34-35 (burns), 39-45 (serious irreversible effects, sensitisation, explosion, cancer).</p> <p>Working in confined spaces (e.g. tanks, manholes, ducts, ceiling voids, etc.).</p> <p>Use of ladders which cannot be secured and require ‘footing’ by a second person. Use of ladders > 1.5m.</p> <p>Erection of Scaffolding.</p> <p>Work on or near live electrical conductors.</p> <p>Contact with potentially violent or aggressive staff/student (identified</p>	<p style="text-align: center;">LONE WORKING NOT PERMITTED</p> <p style="text-align: center;">(unless adequate control measures identified from the risk assessment process and agreed with the Head of Department)</p> <p style="text-align: center;">Further advice and assistance can be obtained from the College Health and Safety Office</p>

and substantiated via previous reports/incidents).

'High risk activities' as determined by the Head of Department/Health and Safety Co-ordinator.